

SECTION B

WATER DATA

INDUSTRIAL <u>120-1422</u>			
8110	8115	8120	8205
JUN 24 2002			
Y - N			
Y - N			

10. Water Source: (Circle all appropriate answers)

Purchased

☒ Y - ☐ N

Well

Y - ☒ N

If Y, is it metered

River

Y - ☒ N

If Y, is it metered

Y - N

Y - N

11. Name of purchased water supplier: Borough of Totowa, New JerseyList all Account #'s: 31005000112. Water Received: From Mo. 5/1 Yr. 01 Through Mo. 4/30 Yr. 02

figure means it is estimated).

<u>PURCHASED</u>	<u>WELL</u>	<u>RIVER</u>	<u>TOTAL</u>
1,631,000 • +	-	-	1,631,000
1,814,000 • +	-	-	1,814,000
1,437,600 • +	-	-	1,437,600
1,315,600 • +	-	-	1,315,600

GRAND TOTAL 6,198,200

Report in gallons

Disposition (*Next to a figure means it is estimated).

	Gallons Sanitary/Combined Sewer	Discharged Stormwater/River/ Ditch	Gallons Used Other
Sanitary service only	717,750	-0-	
Process waste water	4,970,450 *	-0-	
Cooling water	-0-	-0-	
Evaporation			0
Contained in the product			310,000
Other (describe)			200,000 *

GRAND TOTAL 6,198,200

SECTION B (continued)

14. Process wastewater which is discharged as above is metered as follows:

To the Separate Sanitary Sewer

☒ - N Outlet #1 Equipped with Flowmeter

To the Combined Sewer

Y ☒

To the Storm Sewer

Y ☒

River or Ditch

Y ☒

15. Waste hauler information: List all firms and/or independent contractors used to remove process waste or sludge from this facility.

Contractor	Address	Icc #	Waste type handled
n/a			

SECTION C**OPERATIONAL CHARACTERISTICS**

16. Discharge of Industrial Waste is continuous _____
or intermittent x _____ each operating day.

If the discharge is intermittent, it occurs between the following hours: 6:00 am - 11:00 pm

17. Brief description of Manufacturing or other activity performed: Manufacturing consists
of various mixing/blending operations.

List SIC CODE #: 2045

18. Principal Raw Materials used: Flour, Salt, Sugar, Dextrose, Shortening

19. Principal Products or Services: Bread bases and mixes for the wholesale baking industry.

20. Describe seasonal variations, if significant, giving dates, volumes, rates, hours, etc.

Include variations in product lines which affect waste characteristics: None

Does this facility shutdown for vacation(s)? No If so, is it basically the same time each year. n/a Provide dates usually shutdown n/a

SECTION D

MONITORING

21. Describe any pretreatment process or effluent monitoring system in use:

Outlet 32220005-1 Grease Trap, Flowmeter, pH Monitor

Outlet 32220005-2 Grease Trap (2)

Outlet 32220005-3 Incoming Flowmeter Only

22. Sampling information:

<u>Outlet</u>	<u>Contains Industrial Waste</u>	<u>Sampler Type</u>	<u>Refrigerated</u>
32220005-1	Yes	Composite	Yes
32220005-2	Yes	Composite	Yes
32220005-3	n/a	n/a	n/a

SECTION D (continued)

23. Volume Information:

<u>Outlet</u>	<u>Daily Flow (Gallons)</u>	<u>Metered (Y - N)</u>	<u>Type</u>	<u>Date</u>
32220005-1	10,597	Yes	Flowmeter	5/21/02
32220005-2	8,127	No	Calculated	n/a
32220005-3	786	No	Calculated	n/a

24. Frequency of calibration of each flow meter: 2/year

25. Attach plot plan of the property showing:

- (a) all existing or proposed sewer and drain lines (including outlets to a storm sewer, river or ditch);
- (b) sample point(s); Monitoring or Pretreatment Equipment; Incoming meter(s); Well meter(s); Internal meter (s); Flowmeter(s).
- (c) details of the connection(s) to the municipal (or PVSC) sewer, including the distance and direction of each connection from the nearest street intersection.

SECTION E**ANALYSIS OF INDUSTRIAL WASTE**

26. Analysis for Industrial Waste must be a proper sample taken for each outlet.

OUTLET NO. 32220005-1

Report to the nearest unit: XX. Except where indicated with (1) Example: 15 mg/l			Report to the nearest hundredth: 0.XX Except where indicated Example: 0.36 mg/l		
Code	Parameter	Value	Code	Parameter	Value
0200*	Radioactivity (PL-1)	n/a	1097*	Antimony (Sb)	n/a
0500	Total Solids	183	1002*	Arsenic (As)	n/a
0505	Volatile Solids	536	1022*	Boron (B)	n/a
0530	Total Suspended Solids	76.0	1027	Cadmium (Cd)	ND
0540	Volatile Suspended Solids	74.0	1034*	Chromium Total (Cr)	n/a
0555	(1)(3) Petroleum Hydrocarbons	6.60	1042	Copper (Cu)	0.0504
0310	Biochemical Oxygen Demand (BOD)	379	1045*	Iron (Fe)	n/a
			1051	Lead (Pb)	ND
0340	Chemical Oxygen Demand (COD)	1,080	0720*(3)	Cyanide (Cn)	n/a
			1900	Mercury (Report to 0.XXX)	ND
0680	Total Organic Carbon (TOC)	307	1067	Nickel (Ni)	ND
			1147*	Selenium (Se)	n/a
9000	pH(standard unit range)	7.11	1077*	Silver (Ag)	n/a
0610	(1) Ammonia as N	0.580	1102*	Tin (Sn)	n/a
0550	(1)(3) Total Oil & Grease	87.1	1092	Zinc (Zn)	0.101
0745*	(1) Sulfide	n/a	2730	Phenol	0.0650
0507*	(1) Ortho Phosphates as P	n/a	4053*	Pesticides (Report to 0.XXX)	n/a
0625*	(1) Kjeldahl N as N	n/a	0940*	Chlorides	n/a
9998*	(2)(3) TTO (Report to 0.XXX)	n/a	9999*(3)	TTVO (Report to 0.XXX)	n/a

FOOTNOTES:

- (1) Report results to the nearest tenth, i.e., 1.6 mg/l.
- (*) Analyze for this if reasonably expected to be present in the discharge unless otherwise exempted.
- (2) See instructions.
- (3) Grab sample required

Rev: 1/87
8/89
7/90
9/94
8/95
11/95
07/98

SECTION E**ANALYSIS OF INDUSTRIAL WASTE**

26. Analysis for Industrial Waste must be a proper sample taken for each outlet.

OUTLET NO. 32220005-2

Report to the nearest unit: XX. Except where indicated with (1) Example: 15 mg/l			Report to the nearest hundredth: 0.XX Except where indicated Example: 0.36 mg/l		
Code	Parameter	Value	Code	Parameter	Value
0200*	Radioactivity (PL-1)	n/a	1097*	Antimony (Sb)	n/a
0500	Total Solids	180	1002*	Arsenic (As)	n/a
0505	Volatile Solids	1260	1022*	Boron (B)	n/a
0530	Total Suspended Solids	308	1027	Cadmium (Cd)	ND
0540	Volatile Suspended Solids	308	1034*	Chromium Total (Cr)	n/a
0555	(1)(3) Petroleum Hydrocarbons	1.80	1042	Copper (Cu)	0.0779
0310	Biochemical Oxygen Demand (BOD)	346	1045*	Iron (Fe)	n/a
			1051	Lead (Pb)	ND
0340	Chemical Oxygen Demand (COD)	1960	0720*(3)	Cyanide (Cn)	n/a
			1900	Mercury (Report to 0.XXX)	ND
0680	Total Organic Carbon (TOC)	606	1067	Nickel (Ni)	ND
			1147*	Selenium (Se)	n/a
9000	pH(standard unit range)	7.40	1077*	Silver (Ag)	n/a
0610	(1) Ammonia as N	12.8	1102*	Tin (Sn)	n/a
0550	(1)(3) Total Oil & Grease	125	1092	Zinc (Zn)	0.0825
0745*	(1) Sulfide	n/a	2730	Phenol	0.0800
0507*	(1) Ortho Phosphates as P	n/a	4053*	Pesticides (Report to 0.XXX)	n/a
0625*	(1) Kjeldahl N as N	n/a	0940*	Chlorides	n/a
9998*	(2)(3) TTO (Report to 0.XXX)	n/a	9999*(3)	TTVO (Report to 0.XXX)	n/a

FOOTNOTES:

- (1) Report results to the nearest tenth, i.e., 1.6 mg/l.
- (*) Analyze for this if reasonably expected to be present in the discharge unless otherwise exempted.
- (2) See instructions.
- (3) Grab sample required

Rev: 1/87
8/89
7/90
9/94
8/95
11/95
07/98

SECTION E (continued)

Samples collected by: All-Test Laboratories, Inc. - John G. Baker

Date: 4/10/02
5/8/02

Sample analyzed by: Same as Above Date: Varies

Products being manufactured when sample was collected: Bread Bases and Mixes

27. Who performs the analyses of the samples for User Charge? n/a

28. Is the Laboratory certified by NJDEP to conduct all the analyses? Y - N Yes

29. Who performs the analyses of the samples for the Pretreatment Parameters?

n/a - Continuous pH Monitoring and Adjustment

If monitoring has not commenced for Pretreatment, indicate Laboratory you plan to use. If unknown, so state:

n/a

30. Is the Laboratory certified by NJDEP to conduct all the required Pretreatment analyses?

Y - N n/a

31. Based upon knowledge of materials and processes used at this facility check the appropriate box that best describes the potential that a Priority Pollutant, listed on Tables 1,2 & 3 is present in your discharge..

SECTION F**PRETREATMENT**

32. Industrial Category: n/a
Subpart (s): n/a
33. Compliance date(s): n/a
34. Is facility in compliance? n/a If not, and if compliance date has passed, explain actions being taken to get into compliance: _____

35. Date Baseline Monitoring Report (BMR) submitted to PVSC: 10/9/97
36. Compliance schedule submitted: n/a
If yes is facility on schedule? n/a Explain if compliance date will not be met: _____

37. Does this facility come under the Resource Conservation and Recovery Act (RCRA)?
If yes, describe No
38. Does this facility have a Spill Prevention Control and Countermeasures (SPCC) plan?
If yes, describe No
39. Has this facility even been cited by NJDEP or EPA for a violation of State or Federal Regulations for the nature of its wastewater discharge? Y - (N)
40. Is this facility under an ISRA Clean up? No If so, has a plan been approved by NJDEP: _____

Is there any plan to discharge groundwater?
No

CERTIFICATION*:

The information contained in this application is familiar to me and, to the best of my knowledge and belief, such information is true, complete and accurate.

If the applicant is a corporation, a corporate resolution is attached granting me the authority to sign the application on behalf of the corporation.

Name of signing official:

Edward Eberhard

Print Name


TITLE:

Maintenance Manager

DATE

6/18/02

SIGNATURE



***APPLICATION MUST BE SIGNED BY ONE OF THE FOLLOWING:**

- a. Principal Officer of Corporation
- b. President or Owner of Company
- c. General Partner if a Partnership
- d. Plant Manager or Authorized Representative

TABLE 1 EPA PRIORITY POLLUTANTS**CHECK APPROPRIATE BOX**

NAME	A	B	C	D		A	B	C	D
Acenaphthene			X		2,4 dimethylphenol			X	
acrolein			X		2,4 dinitrotoluene			X	
acrylonitrile			X		2,6 dinitrotoluene			X	
benzene			X		1,2 diphenylhydrazine			X	
benzidine			X		ethylbenzene			X	
carbon tetrachloride (tetrachloromethane)			X		fluoranthene			X	
chlorobenzene			X		4-chlorophenyl phenyl ether			X	
1,2,4-trichlorobenzene			X		4-bromophenyl phenyl ether			X	
hexachlorobenzene			X		bis(2-chloroisopropyl) ether			X	
1,2 dichloroethane			X		bis(2-chloroethoxy) methane			X	
1,1,1 trichloroethane			X		methylene chloride(dichloromethane)			X	
hexachloroethane			X		methyl chloride (chloromethane)			X	
1,1,dichloroethane			X		methyl bromide (bromomethane)			X	
1,1,2 trichloroethane			X		bromoform(tribromomethane)			X	
1,1,2,2 tetrachloroethane			X		dichlorobromomethane			X	
chlorethane			X		trichlorofluoromethane			X	
bis(chloromethyl) ether			X		dichlorodifluoromethane			X	
Bis(2 chloroethyl) ether			X		chlorodibromomethane			X	
2-chloroethyl vinyl ether mixed			X		hexachlorobutadiene			X	
2-chloronaphthalene			X		hexachlorocyclopentadiene			X	
2,4,6, trichlorophenol			X		isophorone			X	
parachlorometa cresol			X		naphthalene			X	
Chloroform (trichloromethane)			X		nitrobenzene			X	
2 chlorophenol			X		2-nitrophenol			X	
1,2, dichlorobenzene			X		4-nitrophenol			X	
1,3, dichlorobenzene			X		2,4-dinitrophenol			X	
1,4, dichlorobenzene			X		4,6 dinitro-o cresol			X	
3,3, dichlorobenzidine			X		N-nitrosodimethylamine			X	
1,1,dichloroethylene			X		N-nitrosodiphenylamine			X	
1,2 trans-dichloroethylene			X		N-nitrosodi-n-propylamine			X	
2,4,dichlorophenol			X		pentachlorophenol			X	
1,2, dichloropropane			X		phenol			X	
1,3, dichloropropylene			X						
(1,3 dichlor propene)			X						

- A. KNOWN TO BE PRESENT
 B. SUSPECTED TO BE PRESENT
 C. KNOWN TO BE ABSENT
 D. SUSPECT TO BE ABSENT

TABLE 1 EPA PRIORITY POLLUTANTS (continued)**CHECK APPROPRIATE BOX**

NAME	A	B	C	D		A	B	C	D
bis(2-ethylhexyl) phthalate			X		endrin			X	
butylbenzylphthalate			X		endrin aldehyde			X	
di-n-butylphthalate			X		heptachlor			X	
di-n-octylphthalate			X		heptachlor (epoxide)			X	
diethylphthalate			X		BHC Alpha			X	
dimethylphthalate			X		BHC Beta			X	
benzo(a)anthracene			X		BHC Gamma			X	
benzo(a)pyrene			X		BHC Delta			X	
3,4 benzo fluoranthene			X		PCB1242			X	
benzo(k) fluoranthene			X		PCB1254			X	
chrysene			X		PCB1221			X	
acenaphthylene			X		PCB1232			X	
anthracene			X		PCB1248			X	
benzo(ghi)perylene			X		PCB1260			X	
fluorene			X		PCB1016			X	
phenanthrene			X		toxaphene			X	
dibenzo (a,h) anthracene			X		antimony(total)			X	
indeno (1,2,3-c,d) pyrene			X		arsenic (total)			X	
pyrene			X		asbestos (fibrous)			X	
tetrachloroethylene			X		beryllium (total)			X	
toluene			X		cadmium (total)			X	
trichloroethylene			X		chromium (total)			X	
vinyl chloride			X		copper (total)			X	
aldrin			X		cyanide (total)			X	
dieldrin			X		lead (total)			X	
chlordane			X		mercury (total)			X	
4,4 DDT			X		nickel (total)			X	
4,4, DDE			X		selenium (total)			X	
4,4, DDD			X		silver (total)			X	
endosulfan I			X		thallium (total)			X	
endosulfan II			X		zinc (total)			X	
endosulfan sulfate			X		2,3,7,8, tetrachlorodibenzo			X	X
					p-dioxin			X	

- A. KNOWN TO BE PRESENT
 B. SUSPECTED TO BE PRESENT
 C. KNOWN TO BE ABSENT
 D. SUSPECT TO BE ABSENT

TABLE 2 NJDEP EXPANDED PRIORITY POLLUTANTS**CHECK APPROPRIATE BOX**

NAME	A	B	C	D		A	B	C	D
acrylamide			X		n,n-dimethyl aniline			X	
amitrole			X		3,3-dimethyl benzidine			X	
amyl alcohols			X		1,1-dimethylhydrazine			X	
aniline hydrochloride			X		dioxane			X	
anisole			X		diphenylamine			X	
auramine			X		ethylenimine			X	
benzotrichloride			X		hydrazine			X	
benzylamine			X		4,4-methylene bis			X	
			X		(2-chloraniline)			X	
o-chloroaniline			X		4,4-methylenedianiline			X	
m-chloroaniline			X		methyl isobutyl ketone			X	
p-chloraniline			X		alpha-naphthylamine			X	
1-chloro-2-nitrobenzene			X		beta-naphthylamine			X	
1-chloro-4-nitrobenzene			X		n-methylaniline			X	
chloroprene			X		1,2- phenylenediamine			X	
chrysoidine			X		1,3- phenylenediamine			X	
cumene			X		1,4-phenylenediamine			X	
2,3-dichloroaniline			X		sudan 1 (solvent yellow 14)			X	
2,4-dichloroaniline			X		thiourea			X	
2,5-dichloroaniline			X		toluene sulfonic acids			X	
3,4-dichloroaniline			X		toluidines			X	
3,5-dichloroaniline			X		xylidines			X	
1,3-dichloropropene			X						
1,3-dimethoxybenzidine			X						

- A. KNOWN TO BE PRESENT
 B. SUSPECTED TO BE PRESENT
 C. KNOWN TO BE ABSENT
 D. SUSPECT TO BE ABSENT

TABLE 3 EPA HAZARDOUS SUBSTANCES**CHECK APPROPRIATE BOX**

NAME	A	B	C	D		A	B	C	D
acetaldehyde			X		isopropanolamine			X	
allyl alcohol			X		kelthane			X	
allyl chloride			X		kepone			X	
amyl acetate			X		malathion			X	
aniline			X		mercaptodimethur			X	
benzonitrile			X		methoxychlor			X	
benzyl chloride			X		methyl mercaptan			X	
butyl acetate			X		methyl methacrylate			X	
butylamine			X		methly parathion			X	
captan			X		mevinphos			X	
carbaryl			X		mexacarbate			X	
carbofuran			X		monoethylamine			X	
carbon disulfide			X		monomethylamine			X	
chlorpyrifos			X		naled			X	
coumaphos			X		napthenic acid			X	
cresol			X		nitrotoluene			X	
crotonaldehyde			X		parathion			X	
cyclohexane			X		phenolsulfanate			X	
2,4-D (2,4-dichlorophenoxy)			X		phosgene			X	
acetic acid			X		propagrite			X	
diazinon			X		propylene oxide			X	
dicamba			X		pyrethrins			X	
dichlobenil			X		quinoline			X	
dichlone			X		resorcinol			X	
2,2-dichloropropionic acid			X		strontium			X	
dichlorvos			X		strychnine			X	
diethylamine			X		stryrene			X	
dimethylamine			X		2,4,5-T (2,4,5-trichloro- phenoxy acetic acid)			X	
dinitrobenzene			X		TDE (tetrachloro- diphenylethane)			X	
diquat			X		2,4,5-TP 2(2,4,5- trichlorophenoxy			X	
disulfoton			X		trichlorofon			X	
diuron			X		triethylamine			X	
epichlorohydrin			X		trimethylamine			X	
					propanoic acid			X	

- A. KNOWN TO BE PRESENT
 B. SUSPECTED TO BE PRESENT
 C. KNOWN TO BE ABSENT
 D. SUSPECT TO BE ABSENT

TABLE 3 EPA HAZARDOUS SUBSTANCES (continued)**CHECK APPROPRIATE BOX**

<u>NAME</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>		<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
ethanolamine			X		uranium			X	
ethion			X		vanadium			X	
ethylene diamine			X		vinyl acetate			X	
ethylene dibromide			X		xylene			X	
formaldehyde			X		xlenol			X	
furfural			X		zirconium			X	
guthion			X						
isoprene			X						

- A. KNOWN TO BE PRESENT**
B. SUSPECTED TO BE PRESENT
C. KNOWN TO BE ABSENT
D. SUSPECT TO BE ABSENT

SECTION ONE

Caravan Products Company, Inc.

Trade Name/Fictitious Name

☐ Sole proprietorship

☐ Partnership

☐ Limited Partnership

☒ Corporation

☐ Other (describe)

☐ Trust

☐ Joint Venture

☐ Non-Profit Corporation

☐ Limited Liability Company

Name: Edward Eberhard

Street Address: 100 Adams Drive

City, State & Zip Code: Totowa, NJ 07512

Business Telephone: 973-256-8886 Ext. 460

Emergency Telephone: 973-256-8886

SECTION TWO

(To be completed only by Corporations and Limited Liability Companies)

REGISTERED AGENT: Identify the name and address of the Corporations's Registered Agent:Name: J. Murray GrobCompany Name: Caravan Products Company, Inc.Street Address: 100 Adams DriveCity, State & Zip Code: Totowa, NJ 07512**DATE AND PLACE OF INCORPORATION/FORMATION:** Identify the state where the corporation/LLC was organized and the date on which the Certificate of Incorporation/Formation was filed:State: New JerseyDate: December, 1975**DATE AUTHORIZED IN NEW JERSEY:** If other than a New Jersey corporation/LLC, state the date on which the corporation/LLC received a Certificate of Authority to Transact Business in New Jersey (and attach copy).Date: n/a**SECTION THREE**

(To be completed only by Partnerships or Joint Ventures)

FORM OF PARTNERSHIP: Check One.☐ General partnership☐ Limited Partnership**PARTNERS:** Identify (by name, residence address, business address and daytime telephone number) each partner or joint venture. (attach additional sheets if necessary):

Name: _____

Street Address: _____

City, State & Zip Code: _____

Name: _____

Street Address: _____

City, State & Zip Code: _____

SECTION FOUR

(This section to be completed only if the business concern is organized in a form other than a sole proprietorship, corporation, partnership or joint venture—such as a trust or association)

FORM OF BUSINESS ORGANIZATION: Describe how the business entity is organized and under what legal authority it was established.

CERTIFICATION


(All applicants must sign and date the following certification)

I hereby certify the answers supplied in the foregoing SUPPLEMENTAL SEWER USE PERMIT APPLICATION QUESTIONNAIRE are true. I am aware that if any of the foregoing responses are willfully false, I am subject to punishment,

Dated: _____


6/18/02

Signature



Edward Eberhard, Maintenance Manager

Print Title & Position





100 ADAMS DRIVE • P.O. BOX 1004 • TOTOWA, N.J. 07511-1004 • (973) 256-8886

INDUSTRIAL <u>120-1422</u>			
8110	8115	8120	8205
JUN 24 2002			

June 15, 2002

Certified Mail/Return Receipt: 7099 3400 0015 6638 8632

Passaic Valley Sewerage Commission
600 Wilson Avenue
Newark, NJ 07105

Re: Application for Renewal of Sewer Use Permit #32220005
Caravan Products Company, Inc.

Dear Sir or Madam:

Caravan Products Company, Inc. (Caravan) has enclosed a completed renewal application for Sewer Use Permit #32220005, in accordance with the Passaic Valley Sewerage Commission's (PVSC's) Rules and Regulations. This permit authorizes Caravan to discharge partially treated process wastewater to the PVSC sewerage system. PVSC requires this application in order to renew Caravan's permit, which is due to expire on October 16, 2002. Also enclosed is a check for \$750.00, in accordance with Section 602.1 of the PVSC Rules and Regulations.

The supporting data in this application package consists of a combination of metered values, calculated values, and engineering estimates. The estimates for sanitary wastewater were obtained from Title 7, Chapter 14A, Subchapter 23.3 of the New Jersey Administrative Code.

If you have any questions related to this application, please feel free to contact me at 973-256-8886. Thank you for your assistance.

Sincerely,

A handwritten signature in black ink, appearing to read "Ed Eberhard", is written over the word "Sincerely,".

Ed Eberhard
Maintenance Manager
Caravan Products Company, Inc.

Enclosures
cc: J. Trainor

IRENE G. ALMEIDA
CHAIRMAN

JAMES KRONE
VICE CHAIRMAN

DANIEL F. BECHT, ESQ.
FRANK J. CALANDRIELLO
DOMINIC W. CUCCINELLO
PETER A. MURPHY
ANGELINA M. PASERCHIA
THOMAS J. POWELL
DONALD TUCKER
COMMISSIONERS



Passaic Valley
Sewerage Commissioners

600 WILSON AVENUE
NEWARK, N.J. 07105
(973) 344-1800
Fax: (973) 344-2951
www.pvsc.com

ROBERT J. DAVENPORT
EXECUTIVE DIRECTOR

PETER G. SHERIDAN
CHIEF COUNSEL

LOUIS LANZILLO
CLERK

Industrial Fax: (973) 344-4876

RECEIPT FOR
APPLICATION FEE
PERMIT FEE

Received from: Caravan Products Co. Inc.

Address: 100 Adams Drive Totowa N.J.

Amount of Payment: 750.00

Date of Payment June 24, 02

Payment Received by: Debbie Kuhrt

Signature: DEBBIE KUHRT

Amount: ~~\$70~~ \$750. Date: 6-26-02

CARAVAN PRODUCTS CO., INC.

120856

VENDOR # 472500 PASSAIC VALLEY
GROSS AMT 750.00
DISC AMT .00
NET AMT 750.00

INV NO 0615 INV DATE 06/15/02 VOUCHER 20318

INDUSTRIAL 120-1422	
8110	8115 8120 8205
JUN 24 2002	

CHECK NUMBER: 120856 TOTALS...
750.00 .00 750.00
06/20/02 *****\$750.00

CARAVAN PRODUCTS CO., INC.
100 ADAMS DRIVE, BOX 1004
TOTOWA, NJ 07511-1004

VALLEY NATIONAL BANK
LITTLE FALLS OFFICE
LITTLE FALLS, NEW JERSEY 07424 6
55-138/212

120856

PAY

DOLLARS

SEVEN HUNDRED FIFTY DOLLARS AND 00 CENTS*****

TO THE
ORDER
OF

PASSAIC VALLEY
SEWERAGE COMMISSIONERS
600 WILSON AVENUE
NEWARK, NJ 07105

DATE
06/20/02

AMOUNT
*****\$750.00

Sandra D'Nile
Valerie DeLuca

120856 0212013831 0403597191



ALL-TEST LABORATORIES

DIVISION OF QC, INC.

Analytical Results



ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

INDUSTRIAL	110-1574
8110	8115 8120 8205
JUL 12 2002	

Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 427500

Sample Number L883223-1
Sample Description SEWER #1 BUILDING COMPOSITE
Samp. Date/Time/Temp 05/08/02 10:45am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 36°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
CHEMICAL OXYGEN DEMAND	HACH METHOD 8000	1080 mg/l	10.0 mg/l	05/14/02 11:15AM CWM
AMMONIA NITROGEN AS N	STD Methods 18th Ed. 4500-	0.580 mg/l	0.200 mg/l	05/17/02 03:00PM DGP
PHENOL	EPA 600 Method 420.1	0.0650 mg/l	0.0250 mg/l	05/15/02 08:00AM ES
TOTAL ORGANIC CARBON	EPA 600 Method 415.1	307. mg/l	24.0 mg/l	05/10/02 08:00AM TS
TOTAL SUSPENDED SOLIDS	Standard Methods 2540D	76.0 mg/l	2.00 mg/l	05/14/02 11:50PM MYP
TOTAL SUSPENDED VOLATILE RESIDUE	Standard Methods 2540D	74.0 mg/l	2.00 mg/l	05/14/02 11:00PM MJP
TOTAL VOLATILE RESIDUE	EPA 600 Method 160.4	536. mg/kg	10.0 mg/kg	05/10/02 03:00PM PP

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.

All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.

The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes.

Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time.

Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=Laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

QC Inc's laboratory certification ID's are: Southampton (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Allen D. Schopbach
Allen D. Schopbach, President



ALL-TEST LABORATORIES

DIVISION OF QC, INC.

Analytical Results



Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 427500

Sample Number L883223-4
Sample Description SEWER #2 OUTSIDE COMPOSITE
Samp. Date/Time/Temp 05/08/02 11:40am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 36°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
OIL & GREASE	EPA 600 Method 413.1	125. mg/l	4.00 mg/l	05/20/02 07:00AM JG
PETROLEUM HYDROCARBONS	EPA 600 Method 418.1	1.80 mg/l	0.500 mg/l	05/14/02 12:00PM MP
PH FIELD	EPA 600 Method 150.1	7.40 units	0.10 units	05/08/02 11:40AM JGB

**** NOTES CONCERNING THE ABOVE SAMPLE ****

1. QC Inc will be switching the Oil and Grease Method from EPA Method 413.1 to EPA Method 1664. This approved EPA method does not utilize the ozone depleting substance Freon. Permit holders should be aware that results could vary with Method 1664. A study should be conducted on your sample to determine if any variation does occur. Contact our customer service department for additional information.

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs. All analysis, except field tests are conducted in Southampton, PA unless otherwise identified. The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes. Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time. Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=Laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count. A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis. QC Inc's laboratory certification ID's are: Southampton (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Allen D. Schopbach
Allen D. Schopbach, President



ALL-TEST LABORATORIES

DIVISION OF QC, INC.

Analytical Results



ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 427500

Sample Number L883223-2
Sample Description SEWER #1 BUILDING GRAB
Samp. Date/Time/Temp 05/08/02 11:00am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 36°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
OIL & GREASE	EPA 600 Method 413.1	87.1 mg/l	4.00 mg/l	05/20/02 07:00AM JG
PETROLEUM HYDROCARBONS	EPA 600 Method 418.1	6.60 mg/l	0.500 mg/l	05/14/02 12:00PM MP
PH FIELD	EPA 600 Method 150.1	7.11 units	0.10 units	05/08/02 11:00AM JGB

**** NOTES CONCERNING THE ABOVE SAMPLE ****

1. QC Inc will be switching the Oil and Grease Method from EPA Method 413.1 to EPA Method 1664. This approved EPA method does not utilize the ozone depleting substance Freon. Permit holders should be aware that results could vary with Method 1664. A study should be conducted on your sample to determine if any variation does occur. Contact our customer service department for additional information.

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs. All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.

The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes. Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time.

Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=Laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

QC Inc's laboratory certification ID's are: Southampton (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Allen D. Schopbach
Allen D. Schopbach, President



ALL-TEST LABORATORIES

DIVISION OF QC, INC.

Analytical Results



Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 427500

Sample Number L883223-3
Sample Description SEWER #2 OUTSIDE COMPOSITE
Samp. Date/Time/Temp 05/08/02 11:15am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 36°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
CHEMICAL OXYGEN DEMAND	HACH METHOD 8000	1960 mg/l	20.0 mg/l	05/14/02 11:15AM CWM
AMMONIA NITROGEN AS N	STD Methods 18th Ed. 4500-	12.8 mg/l	0.200 mg/l	05/20/02 10:00AM DGP
PHENOL	EPA 600 Method 420.1	0.0800 mg/l	0.0250 mg/l	05/15/02 08:00AM ES
TOTAL ORGANIC CARBON	EPA 600 Method 415.1	606. mg/l	60.0 mg/l	05/10/02 08:00AM TS
TOTAL SUSPENDED SOLIDS	Standard Methods 2540D	308. mg/l	2.00 mg/l	05/14/02 11:50PM MYP
TOTAL SUSPENDED VOLATILE RESIDUE	Standard Methods 2540D	308. mg/l	2.00 mg/l	05/14/02 11:00PM MJP
TOTAL VOLATILE RESIDUE	EPA 600 Method 160.4	1260 mg/kg	10.0 mg/kg	05/10/02 03:00PM PP

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.

The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes.
Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time.

Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=Laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count.

A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.

QC Inc's laboratory certification ID's are: Southampton (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Allen D. Schopbach
Allen D. Schopbach, President

JUL-11-2002 09:48A FROM:SPECTRUM ENVIRONMENT 9736630600

TO:9732562130

P:10/10



**ALL-TEST
LABORATORIES**
DIVISION OF QC, INC.

Analytical Results



Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 420739

Sample Number L866776-2
Sample Description SEWER #1 BUILDING GRAB
Samp. Date/Time/Temp 04/10/02 10:35am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 37°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
PH FIELD	BPA 600 Method 150.1	7.21 units	0.10 units	04/10/02 10:35AM JCR

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes.
Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time.
Definitions: ND-not detected; NEG-negative; POS-positive; COL-colonics; RLs-Laboratory reporting limits; L/A-laboratory accident; TNTC-too numerous to count.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
QC Inc's laboratory certification ID's are: Southampton (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Page 2 of 4

Serial Number: 186878

Allen D. Schopbach
Allen D. Schopbach, President

196 Palerson Ave., East Rutherford, NJ 07073 Telephone: 201-288-6511 Fax: 201-288-6887



ALL-TEST LABORATORIES

DIVISION OF QC, INC.

Analytical Results



Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOWANA, NJ 07511-1004

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOWANA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 420739

Sample Number 1866776-1
Sample Description SEWER #1 BUILDING COMPOSITE
Samp. Date/Time/Temp 04/10/02 10:30am NA*P
Sampled by John G. Baker, QC Laboratories
Received Temp 37°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
CADMIUM	EPA 600 Method 200.7	ND mg/l	0.00400 mg/l	04/23/02 11:15AM GJH
COPPER	EPA 600 Method 200.7	0.0504 mg/l	0.00300 mg/l	04/23/02 11:15AM GJH
NICKEL	EPA 600 Method 200.7	ND mg/l	0.0100 mg/l	04/23/02 11:15AM GJH
LEAD	EPA 600 Method 200.7	ND mg/l	0.00500 mg/l	04/23/02 11:15AM GJH
ZINC	EPA 600 Method 200.7	0.101 mg/l	0.00500 mg/l	04/23/02 11:15AM GJH
MERCURY	EPA 600 Method 245.1	ND mg/l	0.000100 mg/l	04/22/02 02:28PM JAO
BIOCHEMICAL OXYGEN DEMAND	STD Methods 18th Ed. 5210B	379. mg/l	94.0 mg/l	04/11/02 03:00PM LS
TOTAL SUSPENDED SOLIDS	Standard Methods 2540D	183. mg/l	2.00 mg/l	04/12/02 01:00PM PBP

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
All analysis, except field tests are conducted in Southamptn, PA unless otherwise identified.
The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes.
Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time.
Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=Laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
QC Inc's laboratory certification ID's are: Southamptn (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Allen D. Schopbach
Allen D. Schopbach, President

196 Paterson Ave., East Rutherford, NJ 07073 Telephone: 201-288-6511 Fax: 201-288-6887

JUL-11-2002 09:48A FROM:SPECTRUM ENVIRONMENT 9736630600

TD:9732562130

P:8/10



**ALL-TEST
LABORATORIES**
DIVISION OF QC, INC.

Analytical Results



Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PMSID No:

Inv. No: 420739

Sample Number L866776-4
Sample Description SEWER #2 OUTSIDE GRAB
Samp. Date/Time/Temp 04/10/02 10:50am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 37°F Iced (Y/N): Y

Parameter	Method	Result	RLS	Test Date, Time, Analyst
PH FIELD	BPA 600 Method 150.1	7.41 units	0.10 units	04/10/02 10:50AM JGB

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLS.
All analysis, except field tests are conducted in Southamptn, PA unless otherwise identified.
The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes.
Actual times of analysis for parameters reported <30 hrs are available upon request. All testing is completed within the required holding time.
Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLS=Laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
QC Inc's laboratory certification ID's are: Southamptn (NELAP) PADEP 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Gap PA001, Alltest 02015, Vineland 06005.

Page 4 of 4

Serial Number: 186878

Allen D. Schopbach
Allen D. Schopbach, President

196 Paterson Ave., East Rutherford, NJ 07073 Telephone: 201-288-6511 Fax: 201-288-6887

JUL-11-2002 09:48A FROM:SPECTRUM ENVIRONMENT 9736630600

TO:9732562130

P:7/10



ALL-TEST LABORATORIES

DIVISION OF QC, INC.

Analytical Results



ED EBERHARD
CARAVAN PRODUCTS COMPANY
PO BOX 1004
TOTOWA, NJ 07511-1004

Regarding:

ED EBERHARD
CARAVAN PRODUCTS COMPANY
100 ADAMS DRIVE
TOTOWA, NJ 07511

Account No: 000141, CARAVAN PRODUCTS COMPANY
Project No: 000141, CARAVAN PRODUCTS COMPANY

P.O. No:
PWSID No:

Inv. No: 420739

Sample Number 1866776-3
Sample Description SEWER #2 OUTSIDE COMPOSITE
Samp. Date/Time/Temp 04/10/02 10:45am NA°F
Sampled by John G. Baker, QC Laboratories
Received Temp 37°F Iced (Y/N): Y

Parameter	Method	Result	RLs	Test Date, Time, Analyst
CADMIUM	EPA 600 Method 200.7	ND mg/l	0.00400 mg/l	04/23/02 11:15AM GJH
COPPER	EPA 600 Method 200.7	0.0779 mg/l	0.00300 mg/l	04/23/02 11:15AM GJH
NICKEL	EPA 600 Method 200.7	ND mg/l	0.0100 mg/l	04/23/02 11:15AM GJH
LEAD	EPA 600 Method 200.7	ND mg/l	0.00500 mg/l	04/23/02 11:15AM GJH
ZINC	EPA 600 Method 200.7	0.0825 mg/l	0.00500 mg/l	04/23/02 11:15AM GJH
MERCURY	EPA 600 Method 245.1	ND mg/l	0.000100 mg/l	04/22/02 02:28PM JAD
BIOCHEMICAL OXYGEN DEMAND	STD Methods 18th Ed. 5210B	346. mg/l	94.0 mg/l	04/11/02 03:00PM LS
TOTAL SUSPENDED SOLIDS	Standard Methods 2540D	180. mg/l	2.00 mg/l	04/12/02 01:00PM PBP

A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
The test "pH lab" is analyzed upon receipt in the laboratory, the result may not be suitable for regulatory purposes.
Actual times of analysis for parameters reported <90 hrs are available upon request. All testing is completed within the required holding time.
Definitions: ND-not detected; NEG-negative; POS-positive; COL-colonies; RLs-Laboratory reporting limits; L/A-laboratory accident; TNTC-too numerous to count.
A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
QC Inc's laboratory certification ID's are: Southampton (NELAP) PADER 09-131 and NJDEP PA166. NJDEP non-NELAP labs: Wind Cap PA001, Alltest 02015, Vineland 06005.

Page 3 of 4

Serial Number: 186878

Allen D. Schopbach
Allen D. Schopbach, President

196 Paterson Ave., East Rutherford, NJ 07073 Telephone: 201-288-6511 Fax: 201-288-6887

CHAIN OF CUSTODY				Lab LIMS No:		MATRIX CODES	
1205 Industrial Blvd. Southampton, PA 18966-0514 QC Laboratories Phone: 215-355-3900 Fax: 215-355-7231				Page _____ of _____ Bill to/Report to: (if different) _____ Sampling Site Address: (if different) _____ P.O. No. _____ Client Contact _____		DW: DRINKING WATER GW: GROUND WATER WW: WASTEWATER SO: SOIL SL: SLUDGE OIL: OIL SOL: NON SOIL SOLID MI: MISCELLANEOUS X: OTHER	
Client/Acct. No. <u>000141</u> Address <u>Caravan</u> City/State/Zip _____ Phone/Fax _____				LAB USE ONLY: # _____ Ascorbic/HCl Vials # _____ HCl Vials # _____ Na ₂ S ₂ O ₃ _____ # _____ Na OH/Zn acetate pH _____ # _____ HNO ₃ pH _____ # _____ H ₂ SO ₄ pH _____ # _____ NaOH pH _____ # _____ Unpreserved _____ # _____ HCl pH _____ # _____ Temp control _____ ID# _____		ANALYSIS REQUESTED TSS, Volatile Solids, Volatile Suspended Solids, COD, TOC, Ammonia as N(1) Phenols O&G, TPHC, pH pH 7.11 TSS, Volatile Solids, Volatile Suspended Solids, COD, TOC, Ammonia as N(1) Phenols O&G, TPHC, pH pH 7.40	
PROJECT FIELD ID <u>Sewer # 1 Building</u> <u>Sewer # 1 Building</u> <u>Sewer # 2 Outside</u> <u>Sewer # 2 Outside</u>				Collection Date <u>5/8/02 10:45</u> <u>5/8/02 11:00</u> <u>5/8/02 11:15</u> <u>5/8/02 11:40</u>		Number of Containers Matrix Code <u>X6053</u> <u>66211</u> <u>X6053</u> <u>66211</u>	
Verbal/fax data due: <u>5/10/02</u> Hardcopy due: _____ Please call for pricing and availability on rush (<14-21 day) turnaround and on all but standard format.				Report Format: <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Forms <input type="checkbox"/> Disk <input type="checkbox"/> Standard + QC <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Disk		Field Parameters Analyzed By: <u>5/8/02</u> Sig: <u>[Signature]</u> Date/Time: <u>#1 11:00</u> <u>#2 11:40</u>	
SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW. USE FULL LEGAL SIGNATURE, DATE AND MILITARY TIME (24 HOUR CLOCK, I.E. 8AM IS 0800, 4 PM IS 1600)							
RELINQUISHED BY	SAMPLER	DATE	TIME	RECEIVED BY	DATE	TIME	DELIVERY METHOD
1	<u>[Signature]</u>	<u>5/8/02</u>	<u>16:00</u>	1	<u>Cooper</u>	<u>08:07</u>	<input checked="" type="checkbox"/> QC COURIER <input type="checkbox"/> UPS <input type="checkbox"/> FEDEX <input type="checkbox"/> OTHER
RELINQUISHED BY		DATE	TIME	RECEIVED BY	DATE	TIME	COMMENTS
2				2			<u>5/8/02 5:17:02 - 9:30</u>
RELINQUISHED BY		DATE	TIME	RECEIVED BY	DATE	TIME	
3				3			<u>5/8/02 5:18:02 - 10:45</u>
RELINQUISHED BY		DATE	TIME	RECEIVED BY	DATE	TIME	
4				4			<u>5/8/02 5:17:02 - 9:50</u>
RELINQUISHED BY		DATE	TIME	RECEIVED BY	DATE <td TIME		
5				5			<u>5/8/02 5:18:02 - 11:45</u>
RELINQUISHED BY		DATE	TIME	RECEIVED BY	DATE	TIME	
							Hazardous: <u>yes</u> <u>37.9/AT</u> <u>5/8/02</u>

For example to aid completion, see reverse side.

Permit Renewal

[illegible]